

EPAM-B2BITS products for Capital Markets

- [FIX Products Line](#)
 - [FIX Antenna C/C++/.NET FIX Engine](#)
 - [FIX Antenna C/C++/.NET Release Notes](#)
 - [API documentation](#)
 - [FIX Antenna Quick Start Guide](#)
 - [FIX Antenna C++ Programmer's Guide](#)
 - [FIX Antenna .NET Programmer's Guide](#)
 - [FIX Engine parameters](#)
 - [FIX Antenna C++/.NET Security Assurance](#)
 - [QuickFIX to FIX Antenna™ C++ Migration Guide](#)
 - [Adapters](#)
 - [Bovespa Market Data Adapter](#)
 - [UMDF Platform Overview](#)
 - [UMDF Quick Start](#)
 - ["How to" for Bovespa MD Adapter](#)
 - [CME Adapters](#)
 - [CME MDP 3.0 Handler](#)
 - [CME MDP 3.0 Open Source Java Handler](#)
 - [CME MDP 3.0 C++ Handler](#)
 - [CME MDP Handler Release Notes for C++](#)
 - [CME MDP 3.0 Handler Documentation](#)
 - [CME STP API .NET library](#)
 - [CME GLOBEX Quick start](#)
 - [CME iLink MSGW and DropCopy 4.0 interfaces support in FA C++](#)
 - [MilleniumIT Market Data Adapter](#)
 - [Appendix A. Interfaces](#)
 - [Appendix B. Configuration File for JSE](#)
 - [Appendix C. Configuration File for LSE](#)
 - [Appendix D. JSE ITCH to FIX Conversion](#)
 - [Appendix E. LSE ITCH to FIX Conversion](#)
 - [Appendix F. ID mapping in ITCH to FIX conversion](#)
 - [MOEX Adapters](#)
 - [MOEX ASTS Market Data Adapter](#)
 - [Quick start](#)
 - ["How to" for MOEX ASTS MD Adapter](#)
 - [MOEX Spectra Market Data Adapter](#)
 - ["How to" for MOEX Spectra MD Adapter](#)
 - [FAQ](#)
 - ["How-to..." articles](#)
 - [How to work with Repeating Groups](#)
 - [Bovespa Market Data Adaptor: How to receive Security Status \(35=f\) messages](#)
 - [Bovespa Market Data Adaptor: How to use TCP Replayer](#)
 - [Explanation of messages in logs of applications based on FIX Antenna](#)
 - [FIX Engine latency tuning guide](#)
 - [How to use SO_BUSY_POLL socket option](#)
 - [How to build your application with FIX Antenna .NET libraries](#)
 - [How to configure DBL API UDP and TCP acceleration in FIXAntenna C++](#)
 - [How to configure Eclipse to build and debug FA C++ samples.](#)
 - [How to configure FIX messages validation](#)
 - [How to configure FIX Sessions with engine.properties file](#)
 - [How to configure Micex MDApplication for April templates.](#)
 - [How to connect to MOEX ASTS Market Data test server](#)
 - [How to redirect FIX Antenna and/or FIXEdge logging to the Syslog instead of files](#)
 - [How to update FIX Antenna license file](#)
 - [How to use "RejectMessageWhileNoConnection" property](#)
 - [How to use Spectra Application Listener callbacks](#)
 - [How to use SSL with FIX Antenna C++ and FIX Antenna .NET](#)
 - [How to use xerces-c with FIX Antenna C++](#)
 - [Sequence number handling](#)
 - [SessionId and SessionQualifier Notes](#)
 - [How to determine the dispatcher type which is used by FIX Antenna](#)
 - [How to determine tag status in the FIX message using FixDictionary API in FIX Antenna C++](#)
 - [FIXAntenna C++ Decorator \(FIX Object model\)](#)

Featured Pages

- [FIXEdge Release Notes](#)
- [FIXEdge Security Assurance](#)
- [FIX Antenna Java Release Notes](#)
- [FIX Antenna C/C++/.NET Release Notes](#)
- [FIXICC Release Notes](#)
- [FIX Client Simulator Release Notes](#)
- [FIX Antenna HFT Release Notes](#)
- [FIXEye Release Notes](#)
- [CME MDP Handler Release Notes for C++](#)

Recently Updated Pages

[FIX Client Simulator User Guide](#)
Dec 05, 2019 • updated by A
uthor • [view change](#)

[How to update license files](#)
Nov 27, 2019 • updated by A
uthor • [view change](#)

[FIXEdge Release Notes](#)
Nov 25, 2019 • updated by A
uthor • [view change](#)

[ICE Trade Capture Upgrade Instruction](#)
Nov 13, 2019 • updated by A
uthor • [view change](#)

[How to handle FIXICC Agent crashes on Windows](#)
Nov 02, 2019 • updated by A
uthor • [view change](#)

- How to permit acceptor sessions to listen incoming connections on different ports
 - How to configure properties with environment variables in FIXAntenna C++/.NET
 - FIX Antenna C++/.NET dictionaries format
 - FIX Antenna C/C++/.NET upgrade instruction
 - How to get MDEntryTime with nanosecond precision using Spectra API
 - How to use multiple Security Definition feeds for instrument subscription in MOEX Spectra MD Adapter
 - How to compile FIX Antenna C++ samples with different Visual Studio toolset.
 - How to set strategy for processing out-of-sequence messages
 - How to connect to CME Globex using Secure Logon
 - How to use SocketOpPriority parameter
 - How to build your application with FIXAntenna C++ on Linux
 - Multi-Language CJK (Chinese-Japanese-Korean) characters support in FIX Antenna/FIX-Protocol
- FIX Antenna C++ Benchmarks
 - Benchmarking of FIX Antenna C++ 2.19.0 Linux
 - Benchmarking of FIX Antenna C++ 2.26.0 Linux
- FIX Antenna HFT FIX Engine
 - FIX Antenna HFT Release Notes
 - FIX Antenna HFT Overview
 - FIX Antenna HFT Benchmarks
 - FIX Antenna HFT Programmer's Guide
 - Framework Sample
 - "How to" articles for FIX Antenna HFT
 - How to configure CPU affinity in HFT Antenna
 - How to manage incoming FIX message flow with low latency TCP dispatcher
 - How to manage sessions in FIX Antenna HFT
 - How to measure and reduce latency in FIX Antenna HFT
 - How to validate FIX messages within the user code in FIX Antenna HFT
 - How to work with Application::process callbacks
- FIX Antenna Java FIX Engine
 - FIX Antenna Java Release Notes
 - FIX Antenna Java Benchmarks
 - FIX Antenna Java 2.15.27 Benchmarks
 - FIX Antenna Java 2.17.0 Benchmarks
 - FIX Antenna Java upgrade instruction
 - QuickFIX/J to FIX Antenna Java migration guide
 - "How to" articles for FIX Antenna Java
 - FIX Antenna Java Kafka Adapter quick start
 - How to connect to CME Globex using Secure Logon API
 - How to detect slow consumer
 - How to enable throttling in FIX Antenna Java
 - How to implement fan-out case
 - How to send messages always synchronously
 - LastMsgSeqNumProcessed(369) processing with FAJ
 - FIX Antenna Java JMX MBean reference
- FIXEdge Server
 - FIXEdge Release Notes
 - FIXEdge Documentation
 - FIXEdge Capacity
 - FIXEdge - Quick Start Guide
 - FIXEdge Installation Guide
 - FIXEdge installation on Windows. Step by step instruction
 - FIXEdge installation on Linux. Step by step instruction
 - Configuration of Permission Service
 - Echo Configuration Between FIXEdge and Simple Client
 - FIXEdge upgrade instruction
 - Deployment Schemas
 - Failover Cluster
 - FIXEdge Failover Cluster installation
 - FIXEdge Failover Cluster installation (based on Logs replicator)
 - FIXEdge Configuration
 - Configuring FIX Engine
 - Configuring FIX Sessions
 - Configuring other FIXEdge properties
 - Configuring Business Layer
 - Routing Rules and Session Events: XML Transformation Language
 - BL Scripting with JavaScript
 - BL Scripting with XSLT
 - BLLanguageExtension Handler

- BL Handlers C++ API
 - Business Rules Guide
 - Backup and archive recommendations
 - Log4Cplus Usage
- FIXEdge Security Assurance
- FIXEdge Transport Adaptors
 - IBM MQ Series Adaptor Configuration
 - JMS Transport Adapter configuration
 - Splitter Adaptor
 - SMTP Adaptor
 - TIBCO Rendezvous Transport Adaptor
 - SFS Transport Adaptor Integration Guide
 - SFS Transport Adaptor Programming Guide
 - SXS Transport Adaptor Integration Guide
 - SXS Transport Adaptor Programming Guide
 - RMQ Transport Adaptor Installation Guide
 - Universal Transport Adaptor Configuration
 - REST Acceptor Transport Adaptor
- FIXEdge Admin REST API
- FIXEdge BL Handlers
 - FMXML handler
- FIXEdge logs format
- "How to..." articles
 - How to configure SSL connection
 - How to configure built-in SSL support for FIX session in FIXEdge
 - How to get started with SSL
 - How to configure stunnel to enable SSL for FIX session
 - How to configure FIXEdge to work with Oracle database
 - FIXEdge installation with the principle of least privilege on Linux
 - How to configure forwarding FIXEdge lifecycle events to ArcSight
 - How to integrate FIXEdge with Splunk
 - How to view FIXEdge logs in Splunk
 - Splunk FixEdgeViewer -- Quick Start
 - How to redirect FIX Antenna and/or FIXEdge logging to Syslog instead of files
 - How to use "RejectMessageWhileNoConnection" parameter
 - How to use 'TerminateOnLogout' and 'RecreateOnLogout' properties
 - How to configure the FIX messages validation
 - How to update FIXEdge license file
 - How to configure session state changes notifications
 - How to configure paths to FIXEdge log files
 - Secure Password Management in FIXEdge
 - How to use custom dictionaries with FIXEdge
 - How to create FIXML message with repeating groups using XSLT
 - How to handle "Too many open files" error
 - Explanation of messages in FIXEdge logs
 - How to use JavaScript as a condition in the Business Rule
 - How to specify multiple IP addresses per FIX Session
 - How to configure adaptors in FIXEdge
 - How to divide different categories and severities of log files into different files in the Logging section
 - How to configure TCP protection in FIXEdge
 - How to store/read data from FIX Messages to/from DB
 - How to configure logging and logs rotation in FIXEdge
 - How to save session state to History
 - Recovery procedure for a session with corrupted storages
 - How to upgrade Session Schedule to new format
 - Overload protection in FIXEdge
 - How to handle Resend Requests
 - How to route session level rejects through the FIXEdge
 - How to update entities stored in History with referenced sequence number
 - How to automatically send a message to a session right after getting it established
 - How to use FIX 5.0 SP2 dictionary with Extension Packs
 - How to connect to CME Globex using Secure Logon
 - How to use SocketPriority
 - How to use SessionQualifier
 - How to work with repeating groups in FixEdge
 - How to install two instances of FIXEdge on one host
 - How to setup backup connection
- FIXEdge SDK Developer Guide
 - FIXEdge BL Handlers Developer Guide

- FIXEdge Transport Adaptors Developer Guide
 - FIXEdge Benchmarks
 - FIXEdge 6.5.0 response time test results
- FIXEdge Java Server
 - FIXEdge Java Release Notes
 - FIXEdge Java Documentation
 - FIXEdge Java - Quick Start Guide
 - Installation in WildFly
 - Installation in YAJSW
 - FIXEdge Java - Configuration
 - FIXEdge Java - Extension API
 - FIXEdge Java - Cluster Service
 - FIXEdge Java - Replication Service
 - FIXEdge Java - Administration
 - FIXEdge Java - Groovy rules
 - In-memory data context
 - FIXEdge Java - Store and Forward
- FIXEdge Trade Capture solutions
 - FIXEdge Trade Capture: Overview
 - ICE Trade Capture
 - ICE Trade Capture Overview
 - ICE Trade Capture to Database
 - ICE Trade Capture FAQ
 - ICE Trade Capture Upgrade Instruction
 - ICE Trade Capture DB migration and setup Guide
 - CME STP Trade Capture
 - CME STP Transport Adapter
 - CME STP Trade Capture to Database
 - "How to.." articles
 - How to set up connection to CME STP for CME STP Trade Capture solution based on FIXEdge version prior 5.9
 - Troubleshooting using FIXEdge CME STP Solution
- FIXEdge Drop Copy solutions
 - FIXEdge Drop Copy: Overview
 - ICE Private Order Feed Drop Copy
 - ICE Private Order Feed Overview
 - ICE Private Order Feed to Database
 - ICE Private Order Feed FAQ
 - ICE Private Order Feed Upgrade Instruction
- FIX Integrated Control Center (FIXICC)
 - FIXICC Release Notes
 - FIXICC User Guide
 - CCAdminConsole guide
 - "How to..." articles for FIXICC
 - FIXICC Agent and FIXICC UI upgrade instruction
 - How to change FIXICC Agent password
 - How to configure FIXICC authorization through LDAP
 - How to configure several FIXICC Agent instances
 - How to handle FIXICC Agent crashes on Windows
 - How to increase timeout for connection to Server in FIXICC
 - How to setup secure SSL/TLS conntion between FIXEdge, FIXICC-agent and FIXICC
- FIX Client Simulator
 - FIX Client Simulator Release Notes
 - FIX Client Simulator User Guide
- FIXEye
 - FIXEye Release Notes
 - FIXEye User Guide
 - FIXEye Agent installation and start (Windows)
 - FIXEye Agent installation (Linux)
 - How to activate a license for FIXEye
 - How to install/add a license
 - How to monitor order activity in FIX Eye
 - How to use FIXEye - Splunk integration capabilities
- FIXGrep
 - How to install FIXGrep on Linux
- Reuters Bridge
 - ReutersBridge release notes
 - Reuters Bridge Documentation
 - Reuters Bridge Specification
 - Reuters Bridge Mapping Table
 - "How to" articles
 - How to configure logging and logs rotation in Reuters Bridge
 - How to configure ReutersBridge as NT service
- FAQs and "How to" articles
 - Glossary
 - How to configure properties with environment variables
 - How to update license files
 - How to configure TCP protection

- How to pause listening incoming connections
- FIX and FIXML Dictionaries Customization Guide
- MarketData C++
 - B3 - formerly BM&F BOVESPA
 - Release notes
 - How to migrate MD application from FA C++ to MD C++ library
 - ICE iImpact Market Data Handler
 - MilleniumIT powered platform - LSE/JSE
 - Release notes
 - MOEX/Asts
 - Release notes
 - MOEX/Spectra
 - Release notes
- LB Cluster Solution
 - FIXEdge/J Cluster Solution Release Notes
 - FIXEdge Cluster Solution Release Notes
 - LB Cluster Solution Documentation
 - FIXAJ Failover Solution
 - FIXEdge Cluster Solution Operation and Maintenance Guide
 - LB Cluster Solution Configuration Tool User Manual
 - LB Cluster Solution Deployment User Manual