

# FIX Products Line

- [FIX Antenna C/C++/.NET FIX Engine](#)
  - [FIX Antenna C/C++/.NET Release Notes](#)
  - [API documentation](#)
    - [FIX Antenna Quick Start Guide](#)
    - [FIX Antenna C++ Programmer's Guide](#)
    - [FIX Antenna .NET Programmer's Guide](#)
    - [FIX Engine parameters](#)
    - [FIX Antenna C++/.NET Security Assurance](#)
    - [QuickFIX to FIX Antenna™ C++ Migration Guide](#)
    - [Adapters](#)
      - [Bovespa Market Data Adapter](#)
        - [UMDF Platform Overview](#)
        - [UMDF Quick Start](#)
        - ["How to" for Bovespa MD Adapter](#)
      - [CME Adapters](#)
        - [CME MDP 3.0 Handler](#)
          - [CME MDP 3.0 Open Source Java Handler](#)
          - [CME MDP 3.0 C++ Handler](#)
            - [CME MDP Handler Release Notes for C++](#)
            - [CME MDP 3.0 Handler Documentation](#)
        - [CME STP API .NET library](#)
        - [CME GLOBEX Quick start](#)
        - [CME iLink MSGW and DropCopy 4.0 interfaces support in FA C++](#)
      - [MilleniumIT Market Data Adapter](#)
        - [Appendix A. Interfaces](#)
        - [Appendix B. Configuration File for JSE](#)
        - [Appendix C. Configuration File for LSE](#)
        - [Appendix D. JSE ITCH to FIX Conversion](#)
        - [Appendix E. LSE ITCH to FIX Conversion](#)
        - [Appendix F. ID mapping in ITCH to FIX conversion](#)
      - [MOEX Adapters](#)
        - [MOEX ASTS Market Data Adapter](#)
          - [Quick start](#)
          - ["How to" for MOEX ASTS MD Adapter](#)
        - [MOEX Spectra Market Data Adapter](#)
          - ["How to" for MOEX Spectra MD Adapter](#)
- [FAQ](#)
- ["How-to..." articles](#)
  - [How to work with Repeating Groups](#)
  - [Bovespa Market Data Adaptor: How to receive Security Status \(35=f\) messages](#)
  - [Bovespa Market Data Adaptor: How to use TCP Replayer](#)
  - [Explanation of messages in logs of applications based on FIX Antenna](#)
  - [FIX Engine latency tuning guide](#)
    - [How to use SO\\_BUSY\\_POLL socket option](#)
  - [How to build your application with FIX Antenna .NET libraries](#)
  - [How to configure DBL API UDP and TCP acceleration in FIXAntenna C++](#)
  - [How to configure Eclipse to build and debug FA C++ samples.](#)
  - [How to configure FIX messages validation](#)
  - [How to configure FIX Sessions with engine.properties file](#)
  - [How to configure Micex MDApplication for April templates.](#)
  - [How to connect to MOEX ASTS Market Data test server](#)
  - [How to redirect FIX Antenna and/or FIXEdge logging to the Syslog instead of files](#)
  - [How to update FIX Antenna license file](#)
  - [How to use "RejectMessageWhileNoConnection" property](#)
  - [How to use Spectra Application Listener callbacks](#)
  - [How to use SSL with FIX Antenna C++ and FIX Antenna .NET](#)
  - [How to use xerces-c with FIX Antenna C++](#)
  - [Sequence number handling](#)
  - [SessionId and SessionQualifier Notes](#)
  - [How to determine the dispatcher type which is used by FIX Antenna](#)
  - [How to determine tag status in the FIX message using FixDictionary API in FIX Antenna C++](#)
  - [FIXAntenna C++ Decorator \(FIX Object model\)](#)
  - [How to permit acceptor sessions to listen incoming connections on different ports](#)
  - [How to configure properties with environment variables in FIXAntenna C++/.NET](#)
  - [FIX Antenna C++/.NET dictionaries format](#)
  - [FIX Antenna C/C++/.NET upgrade instruction](#)
  - [How to get MDEntryTime with nanosecond precision using Spectra API](#)
  - [How to use multiple Security Definition feeds for instrument subscription in MOEX Spectra MD Adapter](#)
  - [How to compile FIX Antenna C++ samples with different Visual Studio toolset.](#)
  - [How to set strategy for processing out-of-sequence messages](#)
  - [How to connect to CME Globex using Secure Logon](#)
  - [How to use SocketOpPriority parameter](#)
  - [How to build your application with FIXAntenna C++ on Linux](#)
  - [Multi-Language CJK \(Chinese-Japanese-Korean\) characters support in FIX Antenna/FIX-Protocol](#)
  - [Core binding with affinity mask and threads management in FIX Antenna C++ products](#)
- [FIX Antenna C++ Benchmarks](#)

- Benchmarking of FIX Antenna C++ 2.19.0 Linux
- Benchmarking of FIX Antenna C++ 2.26.0 Linux
- Benchmarking of FIX Antenna C++ 2.27.1 Linux
- FIX Antenna HFT FIX Engine
  - FIX Antenna HFT Release Notes
  - FIX Antenna HFT Overview
  - FIX Antenna HFT Benchmarks
  - FIX Antenna HFT Programmer's Guide
  - Framework Sample
  - "How to" articles for FIX Antenna HFT
    - How to configure CPU affinity in HFT Antenna
    - How to manage incoming FIX message flow with low latency TCP dispatcher
    - How to manage sessions in FIX Antenna HFT
    - How to measure and reduce latency in FIX Antenna HFT
    - How to validate FIX messages within the user code in FIX Antenna HFT
    - How to work with Application::process callbacks
- FIX Antenna Java FIX Engine
  - FIX Antenna Java Release Notes
  - FIX Antenna Java Benchmarks
    - FIX Antenna Java 2.15.27 Benchmarks
    - FIX Antenna Java 2.17.0 Benchmarks
  - FIX Antenna Java upgrade instruction
  - QuickFIX/J to FIX Antenna Java migration guide
  - "How to" articles for FIX Antenna Java
    - FIX Antenna Java Kafka Adapter quick start
    - How to connect to CME Globex using Secure Logon API
    - How to detect slow consumer
    - How to enable throttling in FIX Antenna Java
    - How to implement fan-out case
    - How to send messages always synchronously
    - How to setup custom FIX dictionaries
    - LastMsgSeqNumProcessed(369) processing with FAJ
  - FIX Antenna Java JMX MBean reference
- FIXEdge Server
  - FIXEdge Release Notes
  - FIXEdge Documentation
    - FIXEdge Capacity
    - FIXEdge - Quick Start Guide
    - FIXEdge Installation Guide
      - FIXEdge installation on Windows. Step by step instruction
      - FIXEdge installation on Linux. Step by step instruction
        - Configuration of Permission Service
      - Echo Configuration Between FIXEdge and Simple Client
      - FIXEdge upgrade instruction
      - Deployment Schemas
      - Failover Cluster
        - FIXEdge Failover Cluster installation
        - FIXEdge Failover Cluster installation (based on Logs replicator)
    - FIXEdge Configuration
      - Configuring FIX Engine
      - Configuring FIX Sessions
      - Configuring other FIXEdge properties
      - Configuring Business Layer
        - Routing Rules and Session Events: XML Transformation Language
        - BL Scripting with JavaScript
        - BL Scripting with XSLT
        - BLLanguageExtension Handler
        - BL Handlers C++ API
        - Business Rules Guide
      - Backup and archive recommendations
      - Log4Cplus Usage
    - FIXEdge Security Assurance
    - FIXEdge Transport Adaptors
      - IBM MQ Series Adaptor Configuration
      - JMS Transport Adapter configuration
      - Splitter Adaptor
      - SMTP Adaptor
      - TIBCO Rendezvous Transport Adaptor
      - SFS Transport Adaptor Integration Guide
      - SFS Transport Adaptor Programming Guide
      - SXS Transport Adaptor Integration Guide
      - SXS Transport Adaptor Programming Guide
      - RMQ Transport Adaptor Installation Guide
      - Universal Transport Adaptor Configuration
      - REST Acceptor Transport Adaptor
    - FIXEdge Admin REST API
    - FIXEdge BL Handlers
      - FMXML handler
    - FIXEdge logs format

- "How to..." articles
  - How to configure SSL connection
    - How to configure built-in SSL support for FIX session in FIXEdge
    - How to get started with SSL
    - How to configure stunnel to enable SSL for FIX session
  - How to configure FIXEdge to work with Oracle database
  - FIXEdge installation with the principle of least privilege on Linux
  - How to configure forwarding FIXEdge lifecycle events to ArcSight
  - How to integrate FIXEdge with Splunk
    - How to view FIXEdge logs in Splunk
    - Splunk FixEdgeViewer -- Quick Start
  - How to redirect FIX Antenna and/or FIXEdge logging to Syslog instead of files
  - How to use "RejectMessageWhileNoConnection" parameter
  - How to use 'TerminateOnLogout' and 'RecreateOnLogout' properties
  - How to configure the FIX messages validation
  - How to update FIXEdge license file
  - How to configure session state changes notifications
  - How to configure paths to FIXEdge log files
  - Secure Password Management in FIXEdge
  - How to use custom dictionaries with FIXEdge
  - How to create FIXML message with repeating groups using XSLT
  - How to handle "Too many open files" error
  - Explanation of messages in FIXEdge logs
  - How to use JavaScript as a condition in the Business Rule
  - How to specify multiple IP addresses per FIX Session
  - How to configure adapters in FIXEdge
  - How to divide different categories and severities of log files into different files in the Logging section
  - How to configure TCP protection in FIXEdge
  - How to store/read data from FIX Messages to/from DB
  - How to configure logging and logs rotation in FIXEdge
  - How to save session state to History
  - Recovery procedure for a session with corrupted storages
  - How to upgrade Session Schedule to new format
  - Overload protection in FIXEdge
  - How to handle Resend Requests
  - How to route session level rejects through the FIXEdge
  - How to update entities stored in History with referenced sequence number
  - How to automatically send a message to a session right after getting it established
  - How to use FIX 5.0 SP2 dictionary with Extension Packs
  - How to connect to CME Globex using Secure Logon
  - How to use SocketPriority
  - How to use SessionQualifier
  - How to work with repeating groups in FixEdge
  - How to install two instances of FIXEdge on one host
  - How to setup backup connection
- FIXEdge SDK Developer Guide
  - FIXEdge BL Handlers Developer Guide
  - FIXEdge Transport Adaptors Developer Guide
- FIXEdge Benchmarks
  - FIXEdge 6.5.0 response time test results
- FIXEdge Java Server
  - FIXEdge Java Release Notes
  - FIXEdge Java Documentation
    - FIXEdge Java - Quick Start Guide
      - Installation in WildFly
      - Installation in YAJSW
    - FIXEdge Java - Configuration
    - FIXEdge Java - Extension API
    - FIXEdge Java - Cluster Service
    - FIXEdge Java - Replication Service
    - FIXEdge Java - Administration
    - FIXEdge Java - Groovy rules
      - In-memory data context
    - FIXEdge Java - Store and Forward
- FIXEdge Trade Capture solutions
  - FIXEdge Trade Capture: Overview
  - ICE Trade Capture
    - ICE Trade Capture Overview
    - ICE Trade Capture to Database
    - ICE Trade Capture FAQ
    - ICE Trade Capture Upgrade Instruction
    - ICE Trade Capture DB migration and setup Guide
  - CME STP Trade Capture
    - CME STP Transport Adapter
    - CME STP Trade Capture to Database
    - "How to.." articles
      - How to set up connection to CME STP for CME STP Trade Capture solution based on FIXEdge version prior 5.9
      - Troubleshooting using FIXEdge CME STP Solution
- FIXEdge Drop Copy solutions

- FIXEdge Drop Copy: Overview
- ICE Private Order Feed Drop Copy
  - ICE Private Order Feed Overview
  - ICE Private Order Feed to Database
  - ICE Private Order Feed FAQ
  - ICE Private Order Feed Upgrade Instruction
- FIX Integrated Control Center (FIXICC)
  - FIXICC Release Notes
  - FIXICC User Guide
  - CCAAdminConsole guide
  - "How to..." articles for FIXICC
    - FIXICC Agent and FIXICC UI upgrade instruction
    - How to change FIXICC Agent password
    - How to configure FIXICC authorization through LDAP
    - How to configure several FIXICC Agent instances
    - How to handle FIXICC Agent crashes on Windows
    - How to increase timeout for connection to Server in FIXICC
    - How to setup secure SSL/TLS connection between FIXEdge, FIXICC-agent and FIXICC
- FIX Client Simulator
  - FIX Client Simulator Release Notes
  - FIX Client Simulator User Guide
- FIXEye
  - FIXEye Release Notes
  - FIXEye User Guide
  - FIXEye Agent installation and start (Windows)
  - FIXEye Agent installation (Linux)
  - How to activate a license for FIXEye
  - How to install/add a license
  - How to monitor order activity in FIX Eye
  - How to use FIXEye - Splunk integration capabilities
- FIXGrep
  - How to install FIXGrep on Linux
- Reuters Bridge
  - ReutersBridge release notes
  - Reuters Bridge Documentation
    - Reuters Bridge Specification
    - Reuters Bridge Mapping Table
    - "How to" articles
      - How to configure logging and logs rotation in Reuters Bridge
      - How to configure ReutersBridge as NT service
- FAQs and "How to" articles
  - Glossary
  - How to configure properties with environment variables
  - How to update license files
  - How to configure TCP protection
  - How to pause listening incoming connections
  - FIX and FIXML Dictionaries Customization Guide
- MarketData C++
  - B3 - formerly BM&F BOVESPA
    - Release notes
  - How to migrate MD application from FA C++ to MD C++ library
  - ICE iMpac Market Data Handler
  - MilleniumIT powered platform - LSE/JSE
    - Release notes
  - MOEX/Asts
    - Release notes
  - MOEX/Spectra
    - Release notes
- LB Cluster Solution
  - FIXEdge/J Cluster Solution Release Notes
  - FIXEdge Cluster Solution Release Notes
  - LB Cluster Solution Documentation
    - FIXAJ Failover Solution
    - FIXEdge Cluster Solution Operation and Maintenance Guide
    - LB Cluster Solution Configuration Tool User Manual
    - LB Cluster Solution Deployment User Manual